

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2906580	bit near "2" value	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/07 15:10
S2	66909	bit near2 value	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/07 15:10
S3	3388	bit near2 value same serial\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/07 15:11
S4	1372	bit near2 value with serial\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/07 15:11
S5	14	S4 with alternat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/07 15:33
S6	2	"5574833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/07 15:33
S7	212	((scan\$4 adj head) or scanhead) with ((print\$3 adj head) or printhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/24 15:18
S8	927	((scan\$4 adj head) or scanhead or scanner) with ((print\$3 adj head) or printhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:39
S9	140	((scan\$4 adj head) or scanhead or scanner) with ((print\$3 adj head) or printhead)) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/24 15:19
S10	106	((scan\$4 adj head) or scanhead or scanner) with ((print\$3 adj head) or printhead)) and inkjet) not (((scan\$4 adj head) or scanhead) with ((print\$3 adj head) or printhead)) and inkjet)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/24 15:50
S11	34	((scan\$4 adj head) or scanhead) with ((print\$3 adj head) or printhead)) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/24 15:36

S12	34	((scan\$4 adj head) or scanhead) with ((print\$3 adj head) or printhead)) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/24 15:49
S13	106	((scan\$4 adj head) or scanhead or scanner) with ((print\$3 adj head) or printhead)) and inkjet) not (((scan\$4 adj head) or scanhead) with ((print\$3 adj head) or printhead)) and inkjet)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/25 12:37
S14	45	(ink or printhead or (printing adj head))adj cartridge same scan\$4 adj (head unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:23
S15	2	("5387984" "5418630").PN.	USPAT	OR	ON	2004/02/25 12:53
S16	1	"5729061".PN.	USPAT	OR	ON	2004/02/25 12:58
S17	0	scott adj rogers.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:24
S18	0	(scott adj rogers).xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:25
S19	0	"scott rogers".xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:25
S20	0	scott-rogers.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:26
S21	585	rogers-scott.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:26
S22	46	rogers-scott.xp. and exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:27
S23	214	rogers-scott.xp. and replac\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:28
S24	5	rogers-scott.xp. and replac\$6 near5 head	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:29

S25	188	rogers-scott.xp. and switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 10:30
S26	2250	358/296.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:43
S27	928	((scan\$4 adj head) or scanhead or scanner) with ((print\$3 adj head) or printhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:45
S28	49	358/296.ccls. and (((scan\$4 adj head) or scanhead or scanner) with ((print\$3 adj head) or printhead))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:40
S29	247	358/405.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:43
S30	165	358/405.ccls. and (error postion place)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:44
S31	182	358/405.ccls. and (error postion place location)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:44
S32	250076	((scan\$4 adj head) or scanhead or scanner) or ((print\$3 adj head) or printhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:45
S33	97	(358/405.ccls. and (error postion place location)) and (((scan\$4 adj head) or scanhead or scanner) or ((print\$3 adj head) or printhead))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:47
S34	673422	(identif\$7 detect\$5 sens\$4) near5 (error disconnect\$3 install\$7 connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:51
S35	90	358/405.ccls. and ((identif\$7 detect\$5 sens\$4) near5 (error disconnect\$3 install\$7 connect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:51
S36	45	((scan\$4 adj head) or scanhead or scanner) or ((print\$3 adj head) or printhead)) and (358/405.ccls. and ((identif\$7 detect\$5 sens\$4) near5 (error disconnect\$3 install\$7 connect\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:53

S37	3292	((scan\$4 adj head) or scanhead or scanner) or ((print\$3 adj head) or printhead)) with ((identif\$7 detect\$5 sens\$4) near5 (error disconnect\$3 install\$7 connect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/26 17:54
S38	3	358/405.ccls. and (((scan\$4 adj head) or scanhead or scanner) or ((print\$3 adj head) or printhead)) with ((identif\$7 detect\$5 sens\$4) near5 (error disconnect\$3 install\$7 connect\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 08:09
S39	0	"Internet-based push printing".ti	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 08:10
S40	1	"Internet-based push printing".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 10:35
S41	2	("5793414" "6219151").PN.	USPAT	OR	ON	2004/02/27 08:10
S42	431	347/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 11:00
S43	332	347/50.ccls. and (printhead or print\$3 adj head or cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 10:36
S44	188	(347/50.ccls. and (printhead or print\$3 adj head or cartridge)) and @AD<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 10:37
S45	29	("2937021" "D239057" "4313669" "4500895" "4503443" "4528575" "4567494" "4598298" "4615604" "4630077" "4698650" "4703332" "4706097" "4712172" "4728963" "4734717" "4736213" "4751527" "4755836" "4794859" "4812859" "4843338" "4858907" "D314209" "5189787" "5208610" "5317127" "5326181" "5401013").PN.	USPAT	OR	ON	2004/02/27 10:42
S46	380	347/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 11:04
S47	46	347/50.ccls. AND 347/49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 13:02

S48	0	"method, system, and logic for selecting line work and control data for a pixel from multiple objects of line work data".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 13:03
S49	0	(method adj system adj logic adj selecting adj line) .ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 13:04
S50	0	(method adj system adj logic adj selecting adj line).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 13:04
S51	0	(logic adj selecting adj line).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/02/27 13:04
S52	40	340/686.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/05 09:37
S53	416	(loose\$2 or improper\$2) near1 (connect\$4 or insert\$3 or mount\$3 plac\$3 or position\$3) with (cartridge or printhead or print adj head or scan\$4 adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/05 12:08
S54	0	((loose\$2 or improper\$2) near1 (connect\$4 or insert\$3 or mount\$3 plac\$3 or position\$3) with (cartridge or printhead or print adj head or scan\$4 adj head)) with scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/05 12:09
S55	26	((loose\$2 or improper\$2) near1 (connect\$4 or insert\$3 or mount\$3 plac\$3 or position\$3) with (cartridge or printhead or print adj head or scan\$4 adj head)) and scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/05 13:11
S56	0	"6309045".URPN.	USPAT	OR	ON	2004/03/05 12:20
S57	4	("4736213" "5311253" "5867188" "5963225").PN.	USPAT	OR	ON	2004/03/05 12:20
S58	128	358/472.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/05 13:11
S59	8	"5880852".URPN.	USPAT	OR	ON	2004/03/05 13:29
S60	36293	bit near4 (identif\$6 recogni\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:11

S61	7775	bit near4 (identif\$6 recogni\$4)near2 (data information device module apparatus part)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:48
S62	42277	"358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:13
S63	42277	"358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:13
S64	240	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:13
S65	2373	bit near6 (identif\$6 recogni\$4)near2 (device module apparatus part component)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:50
S66	1859	bit near6 (identif\$6)near2 (device module apparatus part component)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:51
S67	370	S66 and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/05 13:51
S68	33582	(device unit printer scanner) near3 (recogni\$5 identif\$7 ID serial adj number)with (communicat\$5 transmit\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:59
S69	287188	"1" with pattern	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:17
S70	536	S68 with pattern	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 17:02
S71	44219	"358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:17
S72	23	S70 and S71	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:17
S73	33582	(device unit printer scanner) near3 (recogni\$5 identif\$7 ID serial adj number) with (communicat\$5 transmit\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:57

S74	951	S68 same pattern	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:20
S75	30	S71 and S74	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:20
S76	7	S75 not S72	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:20
S77	36446	(device unit printer scanner) near3 (recogni\$5 identif\$7 ID serial adj number) with (communicat\$5 transmi\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:57
S78	619	S77 with pattern	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:58
S79	27	S71 and S78	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:58
S80	4	S79 not S72	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 16:58
S81	37328	(device unit printer scanner apparatus) near3 (recogni\$5 identif\$7 ID serial adj number)with (communicat\$5 transmit\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 17:02
S82	637	S81 with pattern	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 17:02
S83	32	S71 and S82	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 17:02
S84	9	S83 not S72	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/09 17:03
S85	0	("2003/0193694").URPN.	USPAT	OR	ON	2005/06/09 17:03
S86	3183	print\$3 near2 (mode format) near5 (multiple several plurality different)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:07
S87	66	S86 and n\$up	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:09
S88	23	S86 and (2-up or 4-up or 6-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/10 14:08

S89	7	("5502804" "5633992" "5699495" "5774720" "5803623" "6039426" "6061142").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/10 14:34
S90	50	S87 not S88	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/10 14:38
S91	7	S88 not S87	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/10 14:38
S92	1431	scanner same (printhead or recording adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 10:04
S93	365	S92 and bit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 09:59
S94	124	S92 and bit near3 ("0" or "1")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 10:00
S95	177	S92 and bit near3 (zero or one or "0" or "1")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 10:03
S96	227946	scanner or (scan\$2 adj head) same (printhead or recording adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 12:00
S97	1562	(scanner or (scan\$2 adj head)) same (printhead or (record\$3 or record\$3) adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 10:06
S98	10	S97 same multifunction	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 10:06
S99	253796	multifunction\$3 adj (device apparatus system machine) or (facsimile or fax)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 11:56
S10 0	100110	(optional detach\$5) near3 (device apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 11:58
S10 1	226639	bit near2 (zero one or "0" or "1")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 11:59

S10 2	603	S99 and S100 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 11:59
S10 3	227946	scanner or (scan\$2 adj head) same (printhead or recording adj head)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 12:00
S10 4	221	S102 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 12:00
S10 5	418812	canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 12:00
S10 6	185	S104 not S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 12:01